



Stoneware™ Inc.

Windows Network Places / Web Folders

*Stoneware, Inc.*

*Configuration Sheet*

*Date: March 2005*

---

## Introduction

---

This document provides the information necessary to create a Windows Web Folder on any XP, 2000, or 2003 workstation/server. Web Folders will allow a webNetwork user to access any file system running through the webNetwork product (SwIFT) from the Windows Explorer utility. The available file system types would include Linux, NetWare, FTP, Windows, and local.

## Objectives

---

- Create a Web Folder to a internal file system through Stoneware's webNetwork.
- This example will create Web Folder to a SwIFT node running on Stoneware's Demo Server.

## Requirements

---

- webNetwork 4.0e and above
- One or more SwIFT Nodes configured on the webNetwork system.

## Steps for creating a Web Folder under Windows

---

*This section will describe how to configure a web folder in Microsoft Windows Explorer that access a file system running through the webNetwork Server/Relay (SwIFT).*

1. Login to your Windows workstation/server
2. Open Windows Explorer
  - a. START | PROGRAMS | ACCESSORIES | WINDOWS EXPLORER
3. Expand MY COMPUTER
4. Expand MY NETWORK PLACES
5. Create a new NETWORK PLACE

- a. Click the ADD NETWORK PLACE icon. (Windows 2000)
6. Enter the URL of the LOCATION to ADD
    - a. Enter <http://demo.stone-ware.com/webDrive>
    - b. Select the NEXT button to continue
      - i. If prompted, enter the credentials of "guest" and "stoneware". This is a valid account on the demo site.
  7. Enter a NAME for the NETWORK PLACE
    - a. Enter **Stoneware Demo Site**
    - b. Select the NEXT button to continue
  8. Select the FINISH button
  9. Double click the new Web Folder created to the Stoneware Demo site.
  10. Enter the credentials to login to the webNetwork Server
    - a. User ID – **guest**
    - b. Password – **stoneware**
  11. Browse all available SwIFT nodes through Windows Explorer

\* You can modify this example to connect your workstation to your organization's remote file systems via Windows "MY NETWORK PLACES".

### Additional Information

---

- Web Folder support is enabled by default on the webNetwork Relay.
- Users will only see the SwIFT nodes they have been assigned access.
- webNetwork users have the same rights through Windows Explorer as they would have through the standard HTML interface.
- To learn more about how to access remote file systems see **SwIFT** in the webNetwork Installation and Configuration Guide.