



Stoneware™ Inc.

trackUPS Component

Stoneware, Inc.

Configuration Sheet

Date: August 2005

Introduction

This document will provide you with the necessary information to install and configure the trackUPS component in your webNetwork system. Users can enter their UPS tracking code and a description to their webNetwork desktop component. Users can then click on the description they entered and view the package status from the UPS website.

Objectives

- trackUPS Component will let the user enter in a custom list of UPS tracking codes through a webDesktop component.
- webNetwork users will be capable of adding and deleting tracking codes through the trackUPS component.

Requirements

- webNetwork 4.0 (hotfix 5) or above

Steps

- a) *Extract the contents of the trackUPS.zip file into /stoneware/webserv/apps*
 - i) *Note – if Relay Central is enabled remember to unzip the contents into the RelayCentral /webserv/apps directory*
 - ii) *Note – the zip file will create a new trackUPS sub directory under apps*

- b) *Create a new webDesktop component*
 - i) *Open webAdmin as a webNetwork administrator*
 - ii) *Browse and expand your Stoneware container*
 - iii) *Select the CREATE A NEW OBJECT option from the left-hand dropdown box.*
 - iv) *Select the **webDesktop Component***
 - v) *Select the NEXT button*

- vi) Enter the object name of the component (**TrackUPSComponent**)
 - vii) Select the NEXT button
 - viii) Select the WIZARD button
 - ix) Select the LINK TO A WEB PAGE radio button
 - x) Select the NEXT button
 - xi) Enter the Component information
 - (1) **Title** – Track UPS
 - (2) **Description** – Displays status of UPS Tracking Shipment
 - (3) **Category** – Tracking Component
 - (4) **Size** – Small or Medium or Large
 - (5) **Height** – 300
 - xii) Select the NEXT button
 - xiii) Enter the URL for the publishing component
 - (1) /apps/trackUPS/trackUPS.jsp
 - xiv) Select the "Window" & "Scrollbar" options
 - xv) Select the NEXT button to continue
 - xvi) Select the ADD button to assign users to the new news component
 - (1) Select the ADD button
 - (2) Browse and select the user, group, or container that should be assigned to the component.
 - (3) Select the OK button
 - (4) Select the DONE button when you are finished adding users
 - xvii) **NEW COMPONENT SHOULD BE CREATED**
- c) Test the new component
- i) Login to the webNetwork system as a user that has been granted access to the new component.
 - ii) Select the PERSONALIZE button under the ACCOUNT MGMT menu
 - iii) Select the ADD CONTENT button in the right column
 - iv) Check the box next to the My RSS Feeds in the News Component section.
 - v) Press the SAVE SELECTED CONTENT button
 - vi) Select the UPDATE PAGE LAYOUT button
 - vii) Verify the new component is displayed on the user's personalized webDesktop.
 - viii) Click on Add Tracking

- ix) Enter a description for the tracking code
 - x) Enter a valid UPS tracking code
 - xi) Click Save
 - xii) Click on your new description and a window should come up with the info from UPS on the status of the package.
-